


L. A. DREYFUS COMPANY

MAIL ADDRESS
P. O. BOX 500, SOUTH PLAINFIELD, N. J.
07080 U. S. A.
TELEPHONE: AREA CODE 201 549-1600



PLANT: 3775 PARK AVE., EDISON, N. J.
CABLE: "LADCOMP-EDISON (NJER)"
TWX: 710-998-0548

Joel
July 15, 1982

CERTIFIED LETTER

U.S. Environmental Protection Agency
Air & Waste Management Division
Region II
26 Federal Plaza
New York, New York 10276

Re: EPA# NJD00-2150993

Gentlemen:

We enclose a copy of Certificate of Insurance covering liability requirements for hazardous waste storage facilities.

Yours very truly,

L. A. DREYFUS COMPANY

Claude W. Rose
Claude W. Rose
Senior Vice President-Treasurer

CWR:11
encl.

cc: Mr. C. A. Czaplicki

AIR & WASTE MANAGEMENT
DIVISION
JUL 21 3 40 PM '82
U.S. ENVIRONMENTAL
PROTECTION AGENCY,
REGION II
NEW YORK, N.Y.

CU Special Risks

17W755 Butterfield Road, Oakbrook Terrace, Illinois 60181

HAZARDOUS WASTE FACILITY

CERTIFICATE OF LIABILITY INSURANCE

1. Commercial Union Insurance Company, of One Beacon Street, Boston, Massachusetts 02108, (the "Insurer") hereby certifies that it has issued liability insurance covering bodily injury and property damage to Wm. Wrigley Jr. Company, (the "Insured") of 410 North Michigan Avenue, Chicago, Illinois, in connection with the insured's obligation to demonstrate financial responsibility under 40 CFR 264,147 or 265,147. The coverage applies at EJD00-2150993, L. A. Dreyfus Company, 3775 Park Avenue, Edison, New Jersey 07080 for SUDDEN ACCIDENTAL OCCURRENCES. The limits of liability are \$500,000. Each Occurrence, \$500,000. Aggregate, Bodily Injury and \$100,000. Each Occurrence, \$250,000. Aggregate Property Damage - All Primary, exclusive of legal defense costs. The coverage is provided under policy number CY 9119-108. The effective date of said policy is 7-1-82.
2. The Insurer further certifies the following with respect to the insurance described in Paragraph 1:
 - a. Bankruptcy or insolvency of the insured shall not relieve the insurer of its obligations under the policy.
 - b. The Insurer is liable for payment of amounts within any deductible applicable to the policy, with a right of reimbursement by the insured for any such payment made by the insurer. This provision does not apply with respect to that amount of any deductible for which coverage is demonstrated as specified in 40 CFR 264,147(f) or 265,147(f).
 - c. Whenever requested by a Regional Administrator of the U. S. Environmental Protection Agency (EPA), the Insurer agrees to furnish to the Regional Administrator a signed duplicate original of the policy and all endorsements.
 - d. Cancellation of the insurance, whether by the Insurer or the insured, will be effective only upon written notice and only after the expiration of sixty (60) days after a copy of such written notice is received by the Regional Administrator(s) of the EPA region(s) in which the facility(ies) is (are) located.
 - e. Any other termination of the insurance will be effective only upon written notice and only after the expiration of thirty (30) days after a copy of such written notice is received by the Regional Administrator(s) of the EPA Region(s) in which the facility(ies) is (are) located.



Commercial Union Insurance Company • American Employers' Insurance Company • The Employers' Fire Insurance Company
The Northern Assurance Company of America • Commercial Union Risk Management, Inc.

I hereby certify that the wording of this instrument is identical to the wording specified in 40 CFE 264,151(j) as such regulation was constituted on the date first above written, and that the Insurer is licensed to transact the business of insurance or eligible to provide insurance as an excess or surplus lines insurer, in one or more States.



Representative

James A. Bericha
Special Risks Regional Manager

Commercial Union Insurance Company
17 W 755 Butterfield Road
Oakbrook Terrace, IL 60181

L. A. DREYFUS COMPANY


MAIL ADDRESS

P. O. BOX 500, SOUTH PLAINFIELD, N. J.

07080

U.S.A.

TELEPHONE: AREA CODE 201 549-1600



PLANT: 3775 PARK AVE., EDISON, N. J.

CABLE: "LADCOMP-EDISON (NJER)"

TWX: 710-998-0548

Joel

July 6, 1982

CERTIFIED LETTER

U.S. Environmental Protection Agency
Air & Waste Management Division
Region II
26 Federal Plaza
New York, New York 10276

Re: EPA# NJD00-2150993

Gentlemen:

We enclose a copy of a TWX received today from our brokers,
Marsh & McLennan in Chicago indicating that we are arranging for insurance
to cover closure and post-closure costs.

Yours very truly,

L. A. DREYFUS COMPANY

Claude W. Rose

Senior Vice President-Treasurer

CWR:11
encls.

cc: Mr. A. Lindblad
Mr. W. Hagenah

Jul 9 1 44 PM '82
U.S. ENVIRONMENTAL
PROTECTION AGENCY,
REGION II
NEW YORK, N.Y.
AIR & WASTE MANAGEMENT
DIVISION

JULY 6, 1982

L. H. DREYFUS COMPANY

THIS IS TO CONFIRM THAT WE ARE SENDING A LETTER TO YOU EMBODYING

THE FOLLOWING WORDING:

COMMERCIAL UNION IS CONSIDERING NAMING L. H. DREYFUS COMPANY

ON A CONTRACT OF INSURANCE TO COVER THE CLOSURE AND POST-

CLOSURE COSTS CONFORMING TO THE SPECIFICATIONS OF THE NEW

FEDERAL REGULATIONS.


I WILL KEEP YOU INFORMED AS DEVELOPMENTS OCCUR.

YOURS VERY TRULY,

MARSH AND MCLENNAN

ANDREW LINDBLAD

CERTIFIED A TRUE COPY:



Claude W. Rose

Senior Vice President - Treasurer

COMPANY NAME: L.A. DREYFUS CO

HWC REVIEW DATE:

4/9/90

FACILITY LOCATION:

3775 Park Ave
Edison NJ

COUNTY:

Middlesex

STATE:

NJ

REVIEWER'S NAME:

JOHN WILK

ID NO.

NJD002150993

PA REPORT DATE:

8/30/89

COMPANY MANUFACTURING OPERATION DESCRIPTION AND DURATION OF OPERATION:

HAZARDOUS WASTE GENERATED:

halogenated / Non-Halogenated
solvents

REGULATORY STATUS:

Interim Status

REGULATED UNITS ON SITE:

Drum Storage Pad (indoors)

SOLID WASTE MANAGEMENT UNITS ON SITE (pre-Nov. 19, 1980):

NATURE OF ANY RELEASES:

RELEASE INFORMATION-BY SOLID WASTE MANAGEMENT
UNIT/REGULATED UNIT:

None Known

ENVIRONMENTAL SETTING AND IMPACTS:

- ° RESIDENTIAL
- ° INDUSTRIAL ✓
- ° GROUNDWATER USE (drinking water supply, sole source aquifer, etc.)
- ° SURFACEWATER NONE
- ° SOIL AND AIR NONE

INVOLVEMENT OF OTHER REGULATORY AGENCIES/PROGRAMS:

COMMENTS:

NFRAP

RECOMMENDATION FOR FURTHER ACTION, INCLUDING PRIORITY:

NFRAP